

AP Calculus AB
Anti-Derivative Practice Test

Name Solutions Key

1. Which of the following statements are true?

- T I. $\int ((x^3 + x)\sqrt[4]{x^4 + 2x^2 - 5}) dx = \frac{1}{5}(x^4 + 2x^2 - 5)^{5/4} + c$
- T II. $\int (x^5 \sin x^6) dx = -\frac{1}{6} \cos x^6 + c$
- F III. $\int \csc x dx = \ln|\csc x + \cot x| + c$
-
- a) I only b) II only c) III only
- d) I and II only e) II and III only

2. $\int \frac{x-2}{x-1} dx = \int \left(1 + \frac{1}{x-1}\right) dx$

- a) $-\ln|x-1| + c$ b) $x + \ln|x-1| + c$ c) $x - \ln|x-1| + c$
- d) $x - \sqrt{x-1} + c$ e) $x + \sqrt{x-1} + c$
-

3. If $\frac{dy}{dx} = \sin x \cos^3 x$ and if $y = 1$ when $x = \pi$, what is the value of y when $x = 0$?


- a) -3
- b) -2
- c) **0**
- d) 2
- e) 3

$$\begin{aligned} \int dy &= \int \cos^3 x (\sin x) dx \\ &= -\frac{1}{4} \cos^4 x + C \\ y(\pi) = 1 \rightarrow C &= 5/4 \\ y(0) &= 1 \end{aligned}$$

4. $\int x \sqrt{1-x^2} dx = -\frac{1}{2} \int u^{1/2} du = \frac{1}{2} \frac{u^{3/2}}{3/2} + C$

- a) $\frac{(1-x^2)^{3/2}}{3} + C$
 - b) $-(1-x^2)^{3/2} + C$
 - c) $\frac{x^2(1-x^2)^{3/2}}{3} + C$
 - d) $\frac{-x^2(1-x^2)^{3/2}}{3} + C$
 - e) **$-\frac{(1-x^2)^{3/2}}{3} + C$**
-


5. Which of the following differential equations corresponds to the slope field shown in the figure below?



a) $\frac{dy}{dx} = x - y^2$ b) $\frac{dy}{dx} = 1 - \frac{y}{x}$ c) $\frac{dy}{dx} = -y^3$

d) $\frac{dy}{dx} = x - \frac{1}{2}x^3$ e) $\frac{dy}{dx} = x + y$

6. Which of the following equations might be the solution to the slope field shown in the figure below?



- a) $y = 4x - x^3$ b) $y = x^3 - 4x$ c) $y = 4x^4 - x^6$
d) $y = x^3 - 15x^5$ e) $y = \sec x$
-

7. Identify is the first mistake (if any) in this process:

$$\frac{dy}{dx} = xy + x$$

Step 1:

$$\frac{1}{y+1} dy = x dx$$

Step 2:

$$\ln|y+1| = x^2 + c$$

$$\frac{1}{2}x^2 + C$$

Step 3:

$$|y+1| = e^{x^2 + c}$$

Step 4:

$$y = e^{x^2 + c}$$

- a) Step 1 b) Step 2 c) Step 3
d) Step 4 e) There is no mistake.
-

$$\begin{aligned}
 8. \quad & \int \left(\frac{t^3 - 4t - 3}{5t^{2/3}} \right) dt \\
 &= \int \left(\frac{1}{5} t^{7/3} - \frac{4}{5} t^{4/3} - \frac{3}{5} t^{-2/3} \right) dt \\
 &= \frac{1}{5} \cdot \frac{3}{10} t^{10/3} - \frac{4}{5} \cdot \frac{3}{4} t^{4/3} - \frac{5}{3} \cdot \frac{3}{1} t^{4/3} + C \\
 &= \frac{3}{50} t^{10/3} - \frac{3}{5} t^{4/3} - 5t^{4/3} + C
 \end{aligned}$$

$$\begin{aligned}
 9. \quad & \frac{1}{3} \int \frac{3x^5 2}{(x^3 - 1)^{3/2}} dx = \quad u = x^3 - 1 \\
 & \quad du = 3x^2 dx \\
 &= \frac{1}{3} \int u^{-3/2} du \\
 &= \frac{1}{3} \frac{u^{-1/2}}{-1/2} + C \\
 &= -\frac{2}{3} (x^3 - 1)^{-1/2} + C
 \end{aligned}$$

$$10. \int \left(3x^5 + \frac{\csc^2 x}{e^{\cot x}} - x^3 \csc(x^4) \right) dx$$

$$= \int 3x^5 dx + \int e^{-\cot x} \csc^2 x dx - \frac{1}{3} \int 3x^3 \csc x^4 dx$$

$$= \frac{1}{2} x^6 + e^{-\cot x} - \frac{1}{3} \ln |\csc x^4 - \cot x^4| + C$$

$$11. \int \left(x \sqrt{3x^2 + 17} \right) dx = -\frac{1}{6} \int u^{1/2} du$$

$$= \frac{1}{6} \frac{u^{3/2}}{3/2} + C$$

$$= -\frac{1}{9} (-3x^2 + 17)^{3/2} + C$$

12. The acceleration of a particle is described by $a(t) = 48t^2 - 18t + 6$. Find the distance equation for $x(t)$ if $v(1) = 1$ and $x(1) = 3$.

$$v = \int (48t^2 - 18t + 6) dt = 16t^3 - 9t^2 + 6t + C_1$$

$$v(1) = 0 \rightarrow 0 = 16 - 9 + 6 + C_1 \rightarrow C_1 = -12$$


$$x = \int (16t^3 - 9t^2 + 6t - 12) dt = 4t^4 - 3t^3 + 3t^2 - 12t + C_2$$

$$x(1) = 3 \rightarrow 3 = 4 - 3 + 3 - 12 + C_2 \rightarrow C_2 = 8$$

$$x(t) = 4t^4 - 3t^3 + 3t^2 - 12t + 8$$

13. Given the differential equation, $\frac{dy}{dx} = \frac{y-2}{x+1}$

- a. On the axis system provided, sketch the slope field for the $\frac{dy}{dx}$ at all points plotted on the graph.



- b. If the solution curve passes through the point $(0, 0)$, sketch the solution curve on the same set of axes as your slope field.

- c. Find the equation for the solution curve of $\frac{dy}{dx} = (y-2)(x+1)$ given that

$$y(0) = 5 \quad \int \frac{1}{y-2} dy = \int (x+1) dx$$

$$\ln|y-2| = x^2 + x + C$$

$$y-2 = e^{x^2+x+C} = K e^{x^2+x}$$

$$(0, 5) \rightarrow 5-2 = K e^0 \rightarrow K = 3$$

$$y = 2 + 3e^{x^2+x}$$